




NEXTRON N6.2900 G-EU2

www.elco-burners.com

elco

INNOVATION

Since its foundation in 1928, ELCO has always been a specialist in burners conception and manufacturing. By linking a strong innovative ability to a continued developing drive, ELCO has designed high performing and reliable burners as well as corresponding services throughout the years, and is today one of the leaders in the field of combustion technology.




RESEARCH AND DEVELOPMENT

ELCO always looks for the best technologies and continues to develop new ones to improve the efficiency of its solutions.

Our R&D Laboratories are committed to develop innovative technological solutions allowing to:

- optimise the running of the installations lowering costs;
- offer service friendly products easy to maintain;
- preserve the environment lowering acoustic and pollutant emissions.



OUR PRODUCT RANGE

Our experience at combustion technology available in a complete range of burners from 11 kW to 80 MW:



VECTRON 11 - 2300 kW **PROTRON** 17 - 550 kW **NEXTRON** 250 - 11200 kW **EK EVO** 250 - 13500 kW **N** 1300 - 22000 kW

CUTTING-EDGE BURNERS FOR HEATING AND INDUSTRIAL APPLICATIONS

KNOW-HOW

Your contacts at ELCO and its partners are recognised experts with years of experience.

Our worldwide support starts from concept creation to planning, design and project management up to commissioning and on-going operation of the plant throughout its life cycle.

As an ELCO customer, you can rely on your installation to perform reliably. Our guarantee is backed up by a service that sets standards in our field.



WORLDWIDE NETWORK

Capitalising on more than 90 years of work experience, ELCO has been capable to build up loyal partnerships and today can count on reliable Partners all over the World.

Combining an instinctively global perspective with a genuinely multicultural approach ELCO today offers you skilled and experienced experts available in more than 70 Countries.

In Europe

3 production plants 6 commercial branches Strong commercial presence through a network of reliable dealers and partners

Worldwide

2 Sales Offices in Russia and China Distribution in over 70 Countries





HO/GHO-TRON 68 - 17000 kW **RPD** 500 - 80000 kW **EK-DUO** 600 - 16000 kW **D-TRON** 230 - 34000 kW

MONOBLOCK

NEXTRON




All NEXTRON burners feature:

Monoblock burners from 250 kW to 11200 kW in gas, light oil and dual fuel

- The original design of NEXTRON range is the result of a successful integration between burner and ELCO technologies

- The NEXTRON burner range offers high acoustic comfort thanks to the Low Noise System. The patented air intake channel is carefully designed to achieve an acoustic level significantly lower than 80 dB(A) up to 10 MW



- Integrated switch cabinet (ISC System) with modular concept complete for an easy installation with: BT300 control box (MDE2 System and display), fan motor direct startup, enumarated connection terminals (available as options: power regulator, speed controller, O2/CO regulator and BUS interface)
- Innovative design allowing easy access to burner components for fast start-up and reduced maintenance time and space
- Unique air intake channel design (patented) to reduce acoustic levels (Low Noise System)
- Products are in compliance with EN676 and EN267 European standards and with the following directives: 2014/35/EU Low Voltage Directive, 2014/30/UE EMC Directive, 2016/426/UE Gas Appliances Directive, 2006/42/EC Machinery Directive, 2011/65/EU RoHS2 Directive


NEXTRON N6.2900 G-EU2



• Operation: two stage progressive/modulating electronic;

• Emission class: Low NOx class 3 (<80 mg/kWh) according to EN676






TECHNICAL DATA


| Minimum power output (kW) | 365 |
|-----------------------------|------|
| Maximum power output (kW) | 3050 |
| Minimum gas pressure (mbar) | 75 |
| Maximum gas pressure (mbar) | 500 |
| Fan motor (kW) | 4 |
| Protection level | IP41 |

OTHER AVAILABLE CONFIGURATIONS

- Permanent ventilation;
- 60 Hz version;
- Remote display;
- LPG firing;
- Hinge flange

OVERALL DIMENSIONS





| AI | Ar | Α | В | С | D | Е | G | G1 | н | L | Q | Øa | b | с | f |
|-----|-----|-----|-----|------|-----|-----|-----|-----------|-----------------------------|-----|-----|---------|-----|-----|-----|
| 479 | 511 | 990 | 837 | 1358 | 245 | 225 | 263 | 277 | KN: 400 / KM: 520 / KL: 640 | 213 | 600 | 330-340 | 340 | M16 | 200 |

Subsidiaries ELCO

GERMANY

ELCO GmbH Dreieichstraße 10 Mörfelden-Walldorf Tel.: +49 (0) 6105 287-287 Fax: +49 (0) 6105 287-199

SWITZERLAND

Elcotherm AG Sarganserstrasse 100 7324 Vilters Tel. +41 (0)81 725 25 25 Fax +41 (0)81 723 13 59

UK & IRELAND

Ariston Thermo UK Ltd Suite 3, The Crown House Blackpole East, Blackpole Road, Worcester WR3 8SG Tel. +44 01905 788010 Fax +44 01905 788011

NETHERLANDS

Elco Burners B.V. Meerpaalweg, 1 1332 BB Almere P.O. box 30048 1303 AA Almere Tel. +31 088 69 573 11 Fax +31 088 69 573 90

AUSTRIA

RUSSIA

ELCO Austria GmbH Aredstraße 16 - 18 2544 Leobersdorf Tel. +43 (0)2256 639 99 32 Fax +43 (0)2256 644 11

Ariston Thermo RUS Eniseyskaya str. 1, bld 1, Office Center "LIRA" #438 129344 Moscow Tel. +7 495 213 0300 #5700 Fax +7 495 213 0302

FRANCE

14, rue du Saule Trapu Parc d'activité du Moulin 91882 Massy Tel. +33 01 60 13 64 64 Fax +33 01 60 13 64 65

ITALY

Via Roma, 64 31023 Resana (TV) Tel. + 39 0423 719500 Fax + 39 0423 719580

CHINA

Ariston Thermo (China) Co., Ltd. F/15, V-Capital Bldg No. 333 Xian Xia Road 200336 Shanghai Tel. +86 21 6039 8691 Fax +86 21 6039 8620

Contact us to know more about our products and solutions

www.elco-burners.com contact@elco-burners.com